

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
11 January 2001 (11.01.2001)

PCT

(10) International Publication Number
WO 01/03459 A1

- (51) International Patent Classification⁷: **H04Q 7/36**
- (21) International Application Number: **PCT/US00/17968**
- (22) International Filing Date: **29 June 2000 (29.06.2000)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data:
09/345,914 **1 July 1999 (01.07.1999)** **US**
- (71) Applicant: **ERICSSON INC.** [US/US]; 7001 Development Drive, Research Triangle Park, NC 27709 (US).

- (81) Designated States (*national*): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:


- With international search report.
- Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

- (72) Inventors: **WALLSTEDT, Kenneth, Y.**; 302-S Copperline Drive, Chapel Hill, NC 27516 (US). **HÖGLUND, Mats**; 223 Gregory Drive, Cary, NC 27513 (US).

- (74) Agent: **MONCO, Dean, A.**; Wood, Phillips, VanSanten, Clark & Mortimer, 500 West Madison Street, Chicago, IL 60661-2511 (US).

[Continued on next page]

(54) Title: **METHOD OF ESTABLISHING AN ADAPTIVE PUBLIC NEIGHBOR CELL LIST FOR MOBILE STATIONS OF A PRIVATE CELLULAR SYSTEM.**



(57) Abstract: A method for a Digital Wireless Office System (DWOS) to establish and update a public neighbor cell list for roaming mobile stations is disclosed. Transmissions of the base stations of public cells are scanned by DWOS scanners. Information from the Digital Control Channels and Broadcast Control Channels is used in formulating the list.

WO 01/03459 A1

WO 01/03459 A1



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

METHOD OF ESTABLISHING AN ADAPTIVE
PUBLIC NEIGHBOR CELL LIST FOR MOBILE
STATIONS OF A PRIVATE CELLULAR SYSTEM

FIELD OF THE INVENTION

5 This invention relates to a private cellular system, as a wireless office system. More particularly, the invention relates to a method for establishing and updating a neighbor cell list used by mobile stations of the private system for cell selection.

BACKGROUND OF THE INVENTION

10 A mobile station (MS), in accordance with one aspect of ANSI-136rev.A, stores in memory PSP/POF (Public Service Profiles/Private Operating Frequencies) identities. The PSP/POF identities are used by the MS, when camped on a public digital control channel (DCCH) to find and connect automatically with a private system. The MS searches for a POF (the frequency of the DCCH of the private system) when it is camped on a public DCCH which it determines to be a stored PSP. This avoids an undesirable manual search by the MS user.

15 A digital wireless office system (DWOS) is a private mobile communication system that provides an extension to mobile stations in many office environments. Mobile cellular phones used in DWOS are capable of roaming between the DWOS and a public cellular system which has one or more cells in the area, sometimes referred to herein as neighbor cells or public neighbor cells. A roaming mobile station requires information regarding the Digital Control Channels (DCCH)
20 of the neighbor cells. The PSPs stored in an MS should represent the public neighbor cells most likely for the MS to camp on when outside of DWOS. The method described herein develops information concerning the control channels of neighboring cells which information is then transmitted to and stored in the mobile stations.

BRIEF SUMMARY OF THE INVENTION

25 The method disclosed herein establishes and updates the neighbor cell list of a DWOS. The neighbor cell list is used by MSs to update their PSP/POF lists.

More particularly, one feature of the method is that the DWOS scans transmissions from the neighboring cell base stations, identifies digital control channels from the scanned transmissions and selects the most relevant of the identified control channels for the list. The list is then transmitted to the DWOS mobile stations.

5 Another feature of the method is that identified control channels are validated; and those that are invalid are discarded.

A further feature is that the most relevant control channels are selected on the basis of the received signal strength.

10 Yet another feature is that the list is based on more than one scan and selection to avoid changes in the list for temporary or transient control channel conditions.

Still another feature of the method is that where public systems operate on two or more bands an attempt is made to identify and list at least one channel per band.

15 A further feature is where the public system mobile stations have special information for cell selection (e.g. do not camp on a competitor's network), this information is incorporated in the criteria for establishing the list of neighbor cells.

Other features and advantages of the invention will be apparent from the following description and from the drawings.

BRIEF DESCRIPTION OF THE DRAWING:

20 The Figure is a simplified block diagram of a wireless office system and two neighboring cells of a public land mobile network.

25 A private digital mobile communication system, here a digital wireless office system (DWOS) may provide a mobile extension of the Private Branch Exchange (PBX) of an office. Digital cellular phones or mobile stations (MS) are usable in the office environment. The DWOS coexists with a public cellular network and mobile stations may roam between the DWOS and the public network. Each mobile station of the DWOS stores information on the public cells, PSPs, in the public cellular network, and information on the private system DWOS POFs. This list is used by the MS to determine when to search for DWOS and what frequencies to scan. The list information is assembled and updated by DWOS and communicated to the various MSs each time

the MS camps on the DWOS, as provided in ANSI-136rev.A. The method for assembling the information in the list will be described below.

An exemplary DWOS 10, illustrated in the Figure, includes a Cellular Radio Exchange (CRE) 12 which controls the radio network of the DWOS and the radio channels between DWOS and the MSs. A central processing unit (CPU), as a digital signal processor and associated memory, is incorporated in CRE 12 and controls the operation of DWOS. Radio Heads (RH) 14 and Scanner Heads (SH) 16 are connected with the cellular radio exchange by cables. Radio heads 14 include transceivers through which mobile stations 18 communicate with the cellular radio exchange.

The Public Land Mobile Network (PLMN) 20 is divided into operating cells, two of which are shown at 22 and 24 in the Figure. The cells are in physical proximity to DWOS and are sometimes referred to herein as neighbor cells. Each cell has a base station (BS) 26 through which mobile stations 28 communicate.

Scanner heads 16 of DWOS 10 monitor transmissions of base stations 26.

DWOS scanner heads 16 each include a dedicated down-link scanning receiver which scans the frequencies transmitted by neighboring cell base stations 26 and detects information used in establishing and updating the neighbor cell list for DWOS mobile stations 18. Digital Control Channel (DCCH) transmissions of base stations 26 are detected and Broadcast Control Channel (BCCH) messages are read. The read information includes:

- (A) System Identification (SID);
- (B) System Operator Code (SOC);
- (C) Mobile Country Code (MCC);
- (D) Digital Verification Color Code (DVCC);
- (E) Signal Strength Sufficient (SS_SUFF);
- (F) Received Signal Strength Acceptable Minimum (RSS_ACC_MIN);

(G) Mobile Station Acceptable Power (MS_ACC_PWR);

(H) Network Type.

The channel identification, i.e. channel number, and the Received Signal Strength Indicator (RSSI) together with the information read from the BCCH are reported to the CPU which verifies and analyzes the information.

The system or systems where public neighbors can be found is specified by MCC/SOC/SID triplets. One or more DCCHs from one or more public networks with the correct MCC/SOC/SID are candidates to be included in the neighbor cell list. The measured and read information is analyzed according to an algorithm described below.

The read information for each DCCH is checked for validity by determining that the signal is from a public network and that the SID/SOC/MCC triplet information matches that set by the system operator. A DCCH which is not valid is ignored.

The information of each valid DCCH is compared to find the most relevant public neighbors and they are divided into sets:

Set A - The strongest valid DCCH and its received signal strength (RSS) from each scanner head. The size of set A will be up to the number of scanner heads in the system. A DCCH can be strongest in more than one scanner head and can, therefore, be multiple times in set A.

Set B - Set B is set A reduced so that a DCCH is represented only once, from the scanner head which received it the strongest.

If the size of set B is greater than or equal to the maximum number of public neighbor cells, the strongest DCCHs in set B will be the New Set of most relevant public neighbors. If the size of set B is less than the maximum number of public neighbors, a Set C is established taking the second strongest DCCH from each scanning head and calculating the difference in RSSI with

respect to that of the strongest DCCH in that scanning head. The second strongest DCCHs are sorted based on the differences in RSSI. The DCCHs that have the least differences form set C which is then added to set B. If the size of set B plus set C is less than the maximum number of public neighbors, the process is continued with the third strongest DCCHs. The maximum size of the New Set is the maximum number of public neighbors. If this size is not achieved with the third strongest DCCHs, the process is continued with the fourth strongest, fifth strongest, etc. This is done to maximize the probability of including the public neighbor a mobile station is camping on when entering the DWOS.

When the New Set is complete, the neighbor cell list in DWOS is updated. It is desirable to include in the public neighbor cell list information regarding the control channels of the DWOS cell for use by roaming mobile stations returning to the DWOS cell. Both the DWOS active DCCH and DCCH candidates are included with the New Set in the DWOS neighbor cell list.

The WOS CPU develops the following information for the neighbor cell list:

A. Neighbor cell information element for public neighbor

- (1) Channel
- (2) Digital Verification Color Code (DVCC)
- (3) SS_SUFF
- (4) MS_ACC_PWR
- (5) RSS_ACC_MIN
- (6)

B. Neighbor cell information element for own (DWOS) cell

- (1) Channel

The adapted public neighbor cell list described above is broadcast by the WOS to each of the mobile stations 18 associated with WOS. Thus the list is updated as changes occur in the cells.

The detected and measured system conditions on which the Adaptive Public Neighbor List (APNL) is based are sometimes subject to short term or transient variations. For example, a weak public DCCH may go on and off the PSP list. To avoid short-term additions to or removal from

the list of public channels, the results of the data analysis are filtered. For example, if a PSP is successfully decoded in two of five successive scanner readings, it will qualify for addition to the list and the signal strength comparison is based on an average of the successful readings.

5 If all of the strong public DCCHs are found in one frequency band, there is a risk of filling the neighbor cell list with PSPs which are undesirable. DWOS cannot readily find out the public system parameter settings or figure out where mobile stations are camped in the public system cells. Manual entry of the public system and mobile station settings is undesirable for an automatically operating DWOS. Accordingly, where the system utilizes three public bands, at least one PSP per band is designated. If there are two public frequency bands, two PSPs per band
10 are designated. In effect, this establishes an adaptive list for each frequency band.

A public cell system may cause mobile stations to camp on a cell where the base station signal is not received the strongest by the mobile station. This problem is minimized by supplementing the list established by the method described above in a manner similar to the procedure used by a mobile station for cell selection and reselection. The DWOS will take into
15 consideration in formulating the adaptive list the fact that the public system pushes mobile stations to certain cells. A mobile station simulator is implemented in the logic of the WOS CPU. Information from scanning heads 18 for each of the identified neighboring control channels is supplied to the simulator logic. The cells where the mobile stations are likely to end up are determined by the simulator logic and added to the adaptive neighbor cell list.

20 Mobile stations are sometimes provided with an intelligent roaming data base (IRDB) which provides for priorities in cell selection. For example, a roaming mobile station may be programmed to prefer one cellular system over another, or not to camp on a competitive network. The DWOS CPU can utilize such priority information in formulating the adaptive neighbor cell list. If mobile stations are provided with the IRDB information over the air, DWOS can receive
25 the information from the public network over a wire link or by listening to the over-the-air programming via a scanner head 16. Alternatively, DWOS can read the IRDB information from a mobile station camped on DWOS. The IRDB information is preferably analyzed by DWOS with the MS simulator described above.

WE CLAIM:

1. In a private cellular system with mobile stations, the system having a public neighbor cell with a base station in a public system, the mobile stations of the private cellular system relying on a list of neighbor cells when roaming from the public system to the private system, a method for establishing the list of neighbor cells, comprising:
 - (a) scanning the transmissions from the neighbor cell base station;
 - (b) identifying digital control channels of the public cell from the scanned transmissions; and
 - (c) selecting the most relevant of the identified control channels for said list.
2. The method of Claim 1 including the step of updating the mobile station list with the selected channels.
3. The method of Claim 1 including the step of eliminating from the identified control channels those which are not valid.
4. The method of Claim 1 including the step of reading from the scanned transmissions of the identified control channels information representing system identification, system operator code and mobile country code.
5. The method of claim 1 wherein the relevance criteria for selection for the list is the signal strength of the neighbor cell control channels of the scanned transmissions.
6. The method of claim 5 wherein control channels are selected for the list in the order of signal strength of the neighbor cell control channels, the control channel with greater signal strength being selected first.
7. The method of claim 1 wherein the selection of neighbor cell control channels for the list is based on scanning multiple transmissions from the neighbor cell base stations.

8. The method of claim 7 wherein the selection of neighbor cell control channels for the list is based on the average of multiple scanned transmissions from each neighbor cell base station.

9. The method of claim 1 in which said list is established by the cellular radio exchange of the private cellular system and transmitted by the cellular radio exchange to the mobile stations of the private cellular system.

10. The method of claim 1 wherein the public system operates on more than one frequency band, the method including the step of selecting a neighbor cell control channel from each frequency band for the list.


11. The method of claim 1 wherein the one of said mobile stations has a priority in cell selection and said priority is considered in the selection of the most relevant of the identified neighbor cell control channels.

12. The method of claim 1 wherein the private cellular system performs a scan of the transmissions from neighbor cell base stations and selects a control channel for each neighbor cell base station.

13. The method of claim 12 wherein the private cellular system performs multiple scans of the transmissions from neighbor cell base stations and selects the strongest control channel signal from each neighbor cell base station.

14. The method of claim 13 wherein the signal strength information is divided into set A of the neighbor cell base station control channels with strongest signals from each private cellular system scan and set B is set A with only the strongest control channel signal for each neighbor cell base station.

15. The method of claim 14 where, if set B is less than the number of public neighbor cells, additional control channels of decreasing signal strength are selected for the list.



INTERNATIONAL SEARCH REPORT

Internat'l Application No
PCT/US 00/17968

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 H04Q7/36

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 H04Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, PAJ, INSPEC, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 675 629 A (WILLIAMS ROLAND E ET AL) 7 October 1997 (1997-10-07) column 18, line 58 -column 20, line 12 column 21, line 10 - line 67 column 29, line 51 -column 30, line 42 column 49, line 42 -column 50, line 25	1-7,9-13
P,X	US 5 924 038 A (UISTOLA ARI) 13 July 1999 (1999-07-13) column 1, line 31 -column 2, line 4 column 2, line 58 -column 3, line 11 column 5, line 57 -column 6, line 36	1,2,4,11
X	& BR 9 801 622 A (NOKIA MOBILE PHONES LTD) 18 May 1999 (1999-05-18)	1,2,4,11
A	US 5 887 259 A (DION JOHN K ET AL) 23 March 1999 (1999-03-23) column 39, line 29 - line 32	8

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- *G* document member of the same patent family

Date of the actual completion of the international search

20 October 2000

Date of mailing of the international search report

31/10/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3018

Authorized officer

RothlÜbbers, C

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 00/17968

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5675629 A	07-10-1997	CA 2231452 A	27-03-1997
		EP 0872127 A	21-10-1998
		JP 11512594 T	26-10-1999
		WO 9711567 A	27-03-1997
US 5924038 A	13-07-1999	BR 9801622 A	18-05-1999
US 5887259 A	23-03-1999	US 5594782 A	14-01-1997
		AU 689215 B	26-03-1998
		AU 1698995 A	11-09-1995
		AU 706261 B	10-06-1999
		AU 7319598 A	27-08-1998
		BR 9506893 A	09-09-1997
		CN 1151237 A	04-06-1997
		EP 0746954 A	11-12-1996
		JP 9509544 T	22-09-1997
		NZ 279750 A	19-12-1997
		NZ 329077 A	29-04-1999
		WO 9523488 A	31-08-1995
		US 5703934 A	30-12-1997
		US 5774805 A	30-06-1998
		US 5862475 A	19-01-1999
		AU 686742 B	12-02-1998
		AU 1695995 A	11-09-1995
		AU 687996 B	05-03-1998
		AU 1737995 A	11-09-1995
		BR 9506894 A	09-09-1997
		BR 9506895 A	09-09-1997
		CN 1141709 A	29-01-1997
		CN 1142306 A	05-02-1997
		EP 0746953 A	11-12-1996
		EP 0746955 A	11-12-1996
		JP 9509542 T	22-09-1997
		JP 9509543 T	22-09-1997
		NZ 279729 A	25-03-1998
		NZ 281061 A	19-12-1997
		US 5878344 A	02-03-1999
		US 5878339 A	02-03-1999
		WO 9523486 A	31-08-1995
		WO 9523487 A	31-08-1995
		US 5535260 A	09-07-1996
		US 6122523 A	19-09-2000
		US 5787354 A	28-07-1998
		US 6021335 A	01-02-2000
		US 5873037 A	16-02-1999
		US 5832378 A	03-11-1998